



鎢鋼鑽絞刀×3D Carbide Drill Reamer x3D

低碳素鋼 Low Carbon Steels	中碳素鋼 Medium Carbon Steels	高碳素鋼 High Carbon Steels	合金鋼 Alloy Steels	工具鋼 Tool Steels	調質鋼 Hardened Steels	淬火鋼 Quenched and Tempered Steels			鑄鋼 Cast Steels	鑄鐵 Cast Iron	黃銅 Brass	青銅 Bronze	紅銅 Copper	鋁合金 Aluminum Rolled	不銹鋼 Stainless Steels			鈦合金 Titanium Alloys	鎳基合金 Nickel Alloys	碳纖維 Carbon Fiber	玻璃纖維 Glass Fiber	
C0.25%以下	C0.25%~0.45%	C0.45%以上	SCM	SKD	HRC 20~30	HRC 30~40	HRC 40~50	HRC 50~60	SC	FC	FCD	BS	PB	CU	AL	300	400	600	TI			
◎	◎	◎	◎	○	◎	○	○		○	○	◎											

○ 適用 ◎ 專用

◆ 特性：刃刀設計可達定位功能，提升加工穩定度，在支撐性、真圓度方面皆有良好表現。



ASG3D2A

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 l Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫
ASG3D2A0020A	2.0	15	60	4	Fig. 2	●
ASG3D2A0210A	2.1			4	Fig. 2	●
ASG3D2A0220A	2.2			4	Fig. 2	●
ASG3D2A0230A	2.3			4	Fig. 2	●
ASG3D2A0240A	2.4			4	Fig. 2	●
ASG3D2A0250A	2.5	17		4	Fig. 2	●
ASG3D2A0255A	2.55			4	Fig. 2	●
ASG3D2A0260A	2.6			4	Fig. 2	●
ASG3D2A0265A	2.65			4	Fig. 2	●
ASG3D2A0270A	2.7			4	Fig. 2	●
ASG3D2A0275A	2.75	19		4	Fig. 2	●
ASG3D2A0280A	2.8			4	Fig. 2	●
ASG3D2A0285A	2.85			4	Fig. 2	●
ASG3D2A0290A	2.9			4	Fig. 2	●
ASG3D2A0295A	2.95			4	Fig. 2	●
ASG3D2A0030A	3.0	19	4	Fig. 2	●	
ASG3D2A3054A	3.05		4	Fig. 2	●	
ASG3D2A3104A	3.1		4	Fig. 2	●	
ASG3D2A3154A	3.15		4	Fig. 2	●	
ASG3D2A3204A	3.2		4	Fig. 2	●	
ASG3D2A3254A	3.25		4	Fig. 2	●	
ASG3D2A3304A	3.3		4	Fig. 2	●	
ASG3D2A3354A	3.35		4	Fig. 2	●	
ASG3D2A3404A	3.4		4	Fig. 2	●	
ASG3D2A3454A	3.45		4	Fig. 2	●	
ASG3D2A3504A	3.5	4	Fig. 2	●		

○：接單生產品 ●：在庫品 ▲：訂製品

鎢鋼鑽絞刀×3D
Carbide Drill Reamer x3D

ASG3D2A

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫
ASG3D2A3554A	3.55	22	65	4	Fig. 2	●
ASG3D2A3604A	3.6			4	Fig. 2	●
ASG3D2A3654A	3.65			4	Fig. 2	●
ASG3D2A3704A	3.7			4	Fig. 2	●
ASG3D2A3754A	3.75			4	Fig. 2	●
ASG3D2A3804A	3.8			4	Fig. 2	●
ASG3D2A3854A	3.85			4	Fig. 2	●
ASG3D2A3904A	3.9			4	Fig. 2	●
ASG3D2A3954A	3.95			4	Fig. 2	●
ASG3D2A4004A	4.0			4	Fig. 1	●
ASG3D2A3006A	3.0	17	60	6	Fig. 2	●
ASG3D2A0305A	3.05	19		6	Fig. 2	●
ASG3D2A0310A	3.1			6	Fig. 2	●
ASG3D2A0315A	3.15			6	Fig. 2	●
ASG3D2A0320A	3.2			6	Fig. 2	●
ASG3D2A0325A	3.25			6	Fig. 2	●
ASG3D2A0330A	3.3			6	Fig. 2	●
ASG3D2A0335A	3.35			6	Fig. 2	●
ASG3D2A0340A	3.4			6	Fig. 2	●
ASG3D2A0345A	3.45			6	Fig. 2	●
ASG3D2A0350A	3.5		6	Fig. 2	●	
ASG3D2A0355A	3.55	22	65	6	Fig. 2	●
ASG3D2A0360A	3.6			6	Fig. 2	●
ASG3D2A0365A	3.65			6	Fig. 2	●
ASG3D2A0370A	3.7			6	Fig. 2	●
ASG3D2A0375A	3.75			6	Fig. 2	●
ASG3D2A0380A	3.8			6	Fig. 2	●
ASG3D2A0385A	3.85			6	Fig. 2	●
ASG3D2A0390A	3.9			6	Fig. 2	●
ASG3D2A0395A	3.95			6	Fig. 2	●
ASG3D2A0404A	4.0			6	Fig. 2	●
ASG3D2A0405A	4.05	25	65	6	Fig. 2	●
ASG3D2A0410A	4.1			6	Fig. 2	●
ASG3D2A0415A	4.15			6	Fig. 2	●
ASG3D2A0420A	4.2			6	Fig. 2	●
ASG3D2A0425A	4.25			6	Fig. 2	●
ASG3D2A0430A	4.3			6	Fig. 2	●
ASG3D2A0435A	4.35			6	Fig. 2	●
ASG3D2A0440A	4.4			6	Fig. 2	●
ASG3D2A0445A	4.45			6	Fig. 2	●
ASG3D2A0450A	4.5			6	Fig. 2	●
ASG3D2A0455A	4.55	28	70	6	Fig. 2	●
ASG3D2A0460A	4.6			6	Fig. 2	●
ASG3D2A0465A	4.65			6	Fig. 2	●
ASG3D2A0470A	4.7			6	Fig. 2	●
ASG3D2A0475A	4.75			6	Fig. 2	●
ASG3D2A0480A	4.8			6	Fig. 2	●

○: 接單生產品 ●: 在庫品 ▲: 訂製品

鎢鋼鑽絞刀系列

鎢鋼鑽絞刀×3D

Carbide Drill Reamer x3D

ASG3D2A

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 L Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫		
ASG3D2A0485A	4.85	28	70	6	Fig. 2	●		
ASG3D2A0490A	4.9			6	Fig. 2	●		
ASG3D2A0495A	4.95			6	Fig. 2	●		
ASG3D2A0050A	5.0			6	Fig. 2	●		
ASG3D2A0505A	5.05	30	75	6	Fig. 2	●		
ASG3D2A0510A	5.1			6	Fig. 2	●		
ASG3D2A0515A	5.15			6	Fig. 2	●		
ASG3D2A0520A	5.2			6	Fig. 2	●		
ASG3D2A0525A	5.25			6	Fig. 2	●		
ASG3D2A0530A	5.3			6	Fig. 2	●		
ASG3D2A0535A	5.35			6	Fig. 2	●		
ASG3D2A0540A	5.4			6	Fig. 2	●		
ASG3D2A0545A	5.45			6	Fig. 2	●		
ASG3D2A0550A	5.5			6	Fig. 2	●		
ASG3D2A0555A	5.55			32	75	6	Fig. 2	●
ASG3D2A0560A	5.6					6	Fig. 2	●
ASG3D2A0565A	5.65	6	Fig. 2			●		
ASG3D2A0570A	5.7	6	Fig. 2			●		
ASG3D2A0575A	5.75	6	Fig. 2			●		
ASG3D2A0580A	5.8	6	Fig. 2			●		
ASG3D2A0585A	5.85	6	Fig. 2			●		
ASG3D2A0590A	5.9	6	Fig. 2			●		
ASG3D2A0595A	5.95	6	Fig. 2			●		
ASG3D2A0060A	6.0	6	Fig. 1			●		
ASG3D2A0605A	6.05	35	85	8	Fig. 2	●		
ASG3D2A0610A	6.1			8	Fig. 2	●		
ASG3D2A0615A	6.15			8	Fig. 2	●		
ASG3D2A0620A	6.2			8	Fig. 2	●		
ASG3D2A0625A	6.25			8	Fig. 2	●		
ASG3D2A0630A	6.3			8	Fig. 2	●		
ASG3D2A0635A	6.35			8	Fig. 2	●		
ASG3D2A0640A	6.4			8	Fig. 2	●		
ASG3D2A0645A	6.45			8	Fig. 2	●		
ASG3D2A0650A	6.5			8	Fig. 2	●		
ASG3D2A0655A	6.55			37	85	8	Fig. 2	●
ASG3D2A0660A	6.6					8	Fig. 2	●
ASG3D2A0665A	6.65	8	Fig. 2			●		
ASG3D2A0670A	6.7	8	Fig. 2			●		
ASG3D2A0675A	6.75	8	Fig. 2			●		
ASG3D2A0680A	6.8	8	Fig. 2			●		
ASG3D2A0685A	6.85	8	Fig. 2			●		
ASG3D2A0690A	6.9	8	Fig. 2			●		
ASG3D2A0695A	6.95	8	Fig. 2			●		
ASG3D2A0070A	7.0	8	Fig. 2			●		
ASG3D2A0705A	7.05	39	90	8	Fig. 2	●		
ASG3D2A0710A	7.1			8	Fig. 2	●		
ASG3D2A0715A	7.15			8	Fig. 2	●		

○: 接單生產品 ●: 在庫品 ▲: 訂製品

鎢鋼鑽絞刀×3D

Carbide Drill Reamer x3D

ASG3D2A

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫		
ASG3D2A0720A	7.2	39	90	8	Fig. 2	●		
ASG3D2A0725A	7.25			8	Fig. 2	●		
ASG3D2A0730A	7.3			8	Fig. 2	●		
ASG3D2A0735A	7.35			8	Fig. 2	●		
ASG3D2A0740A	7.4			8	Fig. 2	●		
ASG3D2A0745A	7.45			8	Fig. 2	●		
ASG3D2A0750A	7.5			8	Fig. 2	●		
ASG3D2A0755A	7.55	42		90	8	Fig. 2	●	
ASG3D2A0760A	7.6				8	Fig. 2	●	
ASG3D2A0765A	7.65				8	Fig. 2	●	
ASG3D2A0770A	7.7				8	Fig. 2	●	
ASG3D2A0775A	7.75				8	Fig. 2	●	
ASG3D2A0780A	7.8				8	Fig. 2	●	
ASG3D2A0785A	7.85				8	Fig. 2	●	
ASG3D2A0790A	7.9	8	Fig. 2		●			
ASG3D2A0795A	7.95	8	Fig. 2		●			
ASG3D2A0080A	8.0	8	Fig. 1		●			
ASG3D2A0805A	8.05	45	95		10	Fig. 2	○	
ASG3D2A0810A	8.1				10	Fig. 2	●	
ASG3D2A0815A	8.15				10	Fig. 2	○	
ASG3D2A0820A	8.2				10	Fig. 2	●	
ASG3D2A0825A	8.25			10	Fig. 2	○		
ASG3D2A0830A	8.3			10	Fig. 2	●		
ASG3D2A0835A	8.35			10	Fig. 2	○		
ASG3D2A0840A	8.4			10	Fig. 2	●		
ASG3D2A0845A	8.45			10	Fig. 2	○		
ASG3D2A0850A	8.5			10	Fig. 2	●		
ASG3D2A0855A	8.55			10	Fig. 2	○		
ASG3D2A0860A	8.6			47	95	10	Fig. 2	●
ASG3D2A0865A	8.65					10	Fig. 2	○
ASG3D2A0870A	8.7					10	Fig. 2	●
ASG3D2A0875A	8.75	10	Fig. 2			○		
ASG3D2A0880A	8.8	10	Fig. 2			●		
ASG3D2A0885A	8.85	10	Fig. 2			○		
ASG3D2A0890A	8.9	10	Fig. 2			●		
ASG3D2A0895A	8.95	10	Fig. 2			○		
ASG3D2A0090A	9.0	10	Fig. 2			●		
ASG3D2A0905A	9.05	49	100			10	Fig. 2	○
ASG3D2A0910A	9.1			10		Fig. 2	●	
ASG3D2A0915A	9.15			10		Fig. 2	○	
ASG3D2A0920A	9.2			10		Fig. 2	●	
ASG3D2A0925A	9.25			10		Fig. 2	○	
ASG3D2A0930A	9.3			10	Fig. 2	●		
ASG3D2A0935A	9.35			10	Fig. 2	○		
ASG3D2A0940A	9.4			10	Fig. 2	●		
ASG3D2A0945A	9.45			10	Fig. 2	○		
ASG3D2A0950A	9.5			10	Fig. 2	●		

○: 接單生產品 ●: 在庫品 ▲: 訂製品

鎢鋼鑽絞刀×3D

Carbide Drill Reamer x3D

ASG3D2A

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫		
ASG3D2A0955A	9.55	52	100	10	Fig. 2	○		
ASG3D2A0960A	9.6			●				
ASG3D2A0965A	9.65			○				
ASG3D2A0970A	9.7			●				
ASG3D2A0975A	9.75			○				
ASG3D2A0980A	9.8			●				
ASG3D2A0985A	9.85			○				
ASG3D2A0990A	9.9			●				
ASG3D2A0995A	9.95			○				
ASG3D2A0100A	10.0			●				
ASG3D2A1005A	10.05			54	105	12	Fig. 2	○
ASG3D2A1010A	10.1	●						
ASG3D2A1015A	10.15	○						
ASG3D2A1020A	10.2	●						
ASG3D2A1025A	10.25	○						
ASG3D2A1030A	10.3	●						
ASG3D2A1035A	10.35	○						
ASG3D2A1040A	10.4	●						
ASG3D2A1045A	10.45	○						
ASG3D2A1050A	10.5	●						
ASG3D2A1055A	10.55	56	110			12	Fig. 2	○
ASG3D2A1060A	10.6					●		
ASG3D2A1065A	10.65					○		
ASG3D2A1070A	10.7					●		
ASG3D2A1075A	10.75					○		
ASG3D2A1080A	10.8					●		
ASG3D2A1085A	10.85					○		
ASG3D2A1090A	10.9					●		
ASG3D2A1095A	10.95			○				
ASG3D2A1100A	11.0			●				
ASG3D2A1105A	11.05			58	110	12	Fig. 2	○
ASG3D2A1110A	11.1	●						
ASG3D2A1115A	11.15	○						
ASG3D2A1120A	11.2	●						
ASG3D2A1125A	11.25	○						
ASG3D2A1130A	11.3	●						
ASG3D2A1135A	11.35	○						
ASG3D2A1140A	11.4	●						
ASG3D2A1145A	11.45	○						
ASG3D2A1150A	11.5	●						
ASG3D2A1155A	11.55	60	110			12	Fig. 2	○
ASG3D2A1160A	11.6			●				
ASG3D2A1165A	11.65			○				
ASG3D2A1170A	11.7			●				
ASG3D2A1175A	11.75			○				
ASG3D2A1180A	11.8			●				
ASG3D2A1185A	11.85			○				

○: 接單生產品 ●: 在庫品 ▲: 訂製品

鎢鋼鑽絞刀×3D

Carbide Drill Reamer x3D

ASG3D2A

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫		
ASG3D2A1190A	11.9	60	110	12	Fig. 2	●		
ASG3D2A1195A	11.95			12	Fig. 2	○		
ASG3D2A1200A	12.0			12	Fig. 1	●		
ASG3D2A1205A	12.05	63	115	13	Fig. 2	○		
ASG3D2A1210A	12.1			13	Fig. 2	●		
ASG3D2A1215A	12.15			13	Fig. 2	○		
ASG3D2A1220A	12.2			13	Fig. 2	●		
ASG3D2A1225A	12.25			13	Fig. 2	○		
ASG3D2A1230A	12.3			13	Fig. 2	●		
ASG3D2A1235A	12.35			13	Fig. 2	○		
ASG3D2A1240A	12.4			13	Fig. 2	●		
ASG3D2A1245A	12.45			13	Fig. 2	○		
ASG3D2A1250A	12.5			13	Fig. 2	●		
ASG3D2A1255A	12.55			65	115	13	Fig. 2	○
ASG3D2A1260A	12.6					13	Fig. 2	●
ASG3D2A1265A	12.65	13	Fig. 2			○		
ASG3D2A1270A	12.7	13	Fig. 2			●		
ASG3D2A1275A	12.75	13	Fig. 2			○		
ASG3D2A1280A	12.8	13	Fig. 2			●		
ASG3D2A1285A	12.85	13	Fig. 2			○		
ASG3D2A1290A	12.9	13	Fig. 2			●		
ASG3D2A1295A	12.95	13	Fig. 2			○		
ASG3D2A1300A	13.0	13	Fig. 1			●		
ASG3D2A1310A	13.1	68	125	14	Fig. 2	○		
ASG3D2A1320A	13.2			14	Fig. 2	○		
ASG3D2A1330A	13.3			14	Fig. 2	○		
ASG3D2A1340A	13.4			14	Fig. 2	○		
ASG3D2A1350A	13.5			14	Fig. 2	●		
ASG3D2A1360A	13.6			70	125	14	Fig. 2	○
ASG3D2A1370A	13.7	14	Fig. 2			○		
ASG3D2A1380A	13.8	14	Fig. 2			○		
ASG3D2A1390A	13.9	14	Fig. 2			○		
ASG3D2A1400A	14.0	14	Fig. 1			●		
ASG3D2A1410A	14.1	73	130			16	Fig. 2	○
ASG3D2A1420A	14.2			16	Fig. 2	○		
ASG3D2A1430A	14.3			16	Fig. 2	○		
ASG3D2A1440A	14.4			16	Fig. 2	○		
ASG3D2A1450A	14.5			16	Fig. 2	●		
ASG3D2A1460A	14.6			75	130	16	Fig. 2	○
ASG3D2A1470A	14.7	16	Fig. 2			○		
ASG3D2A1480A	14.8	16	Fig. 2			○		
ASG3D2A1490A	14.9	16	Fig. 2			○		
ASG3D2A1500A	15.0	16	Fig. 2			●		
ASG3D2A1510A	15.1	78	135			16	Fig. 2	○
ASG3D2A1520A	15.2			16	Fig. 2	○		
ASG3D2A1530A	15.3			16	Fig. 2	○		
ASG3D2A1540A	15.4			16	Fig. 2	○		

○: 接單生產品 ●: 在庫品 ▲: 訂製品

鎢鋼鑽絞刀×3D

Carbide Drill Reamer x3D

ASG3D2A

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫
ASG3D2A1550A	15.5	78	135	16	Fig. 2	●
ASG3D2A1560A	15.6	80		16	Fig. 2	○
ASG3D2A1570A	15.7			16	Fig. 2	○
ASG3D2A1580A	15.8			16	Fig. 2	○
ASG3D2A1590A	15.9			16	Fig. 2	○
ASG3D2A1600A	16.0			16	Fig. 1	●

○: 接單生產品 ●: 在庫品 ▲: 訂製品