



鎢鋼鑽絞刀×5D

Carbide Drill Reamer x5D

低碳素鋼 Low Carbon Steels	中碳素鋼 Medium Carbon Steels	高碳素鋼 High Carbon Steels	合金鋼 Alloy Steels	工具鋼 Tool Steels	調質鋼 Hardened Steels	淬火鋼 Quenched and Tempered Steels			鑄鋼 Cast Steels	鑄鐵 Cast Iron	黃銅 Brass	青銅 Bronze	紅銅 Copper	鋁合金 Aluminum Rolled	不銹鋼 Stainless Steels			鈦合金 Titanium Alloys	鎳基合金 Nickel Alloys	碳纖維 Carbon Fiber	玻璃纖維 Glass Fiber	
C0.25%以下	C0.25%~0.45%	C0.45%以上	SCM	SKD	HRC 20~30	HRC 30~40	HRC 40~50	HRC 50~60	SC	FC	FCD	BS	PB	CU	AL	300	400	600	TI			
◎	◎	◎	◎	○	◎	○	○		○	○	◎											

○適用 ◎專用

◆特性：刀刃設計可達定位功能，提升加工穩定度，在支撐性、真圓度方面皆有良好表現。



ASG5D2B

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 l Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫
ASG5D2B0020A	2.0	20	60	4	Fig. 2	●
ASG5D2B0210A	2.1			4	Fig. 2	●
ASG5D2B0220A	2.2			4	Fig. 2	●
ASG5D2B0230A	2.3			4	Fig. 2	●
ASG5D2B0240A	2.4			4	Fig. 2	●
ASG5D2B0250A	2.5	23	65	4	Fig. 2	●
ASG5D2B0255A	2.55			4	Fig. 2	●
ASG5D2B0260A	2.6			4	Fig. 2	●
ASG5D2B0265A	2.65			4	Fig. 2	●
ASG5D2B0270A	2.7			4	Fig. 2	●
ASG5D2B0275A	2.75			4	Fig. 2	●
ASG5D2B0280A	2.8			4	Fig. 2	●
ASG5D2B0285A	2.85	25	70	4	Fig. 2	●
ASG5D2B0290A	2.9			4	Fig. 2	●
ASG5D2B0295A	2.95			4	Fig. 2	●
ASG5D2B0030A	3.0			4	Fig. 2	●
ASG5D2B3054A	3.05			28	70	4
ASG5D2B3104A	3.1	4	Fig. 2			●
ASG5D2B3154A	3.15	4	Fig. 2			●
ASG5D2B3204A	3.2	4	Fig. 2			●
ASG5D2B3254A	3.25	4	Fig. 2			●
ASG5D2B3304A	3.3	4	Fig. 2			●
ASG5D2B3354A	3.35	4	Fig. 2			●
ASG5D2B3404A	3.4	30	70	4	Fig. 2	●
ASG5D2B3454A	3.45			4	Fig. 2	●
ASG5D2B3504A	3.5			4	Fig. 2	●

○：接單生產品 ●：在庫品 ▲：訂製品

鎢鋼鑽絞刀×5D

Carbide Drill Reamer x5D

ASG5D2B

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 L Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫		
ASG5D2B3554A	3.55	32	75	4	Fig. 2	●		
ASG5D2B3604A	3.6			4	Fig. 2	●		
ASG5D2B3654A	3.65			4	Fig. 2	●		
ASG5D2B3704A	3.7			4	Fig. 2	●		
ASG5D2B3754A	3.75			4	Fig. 2	●		
ASG5D2B3804A	3.8	34		4	Fig. 2	●		
ASG5D2B3854A	3.85			4	Fig. 2	●		
ASG5D2B3904A	3.9			4	Fig. 2	●		
ASG5D2B3954A	3.95			4	Fig. 2	●		
ASG5D2B4004A	4.0			4	Fig. 1	●		
ASG5D2B3006A	3.0	25	65	6	Fig. 2	●		
ASG5D2B0305A	3.05	28	70	6	Fig. 2	●		
ASG5D2B0310A	3.1			6	Fig. 2	●		
ASG5D2B0315A	3.15			6	Fig. 2	●		
ASG5D2B0320A	3.2			6	Fig. 2	●		
ASG5D2B0325A	3.25			6	Fig. 2	●		
ASG5D2B0330A	3.3			6	Fig. 2	●		
ASG5D2B0335A	3.35			6	Fig. 2	●		
ASG5D2B0340A	3.4			30	6	Fig. 2	●	
ASG5D2B0345A	3.45				6	Fig. 2	●	
ASG5D2B0350A	3.5				6	Fig. 2	●	
ASG5D2B0355A	3.55	32	6		Fig. 2	●		
ASG5D2B0360A	3.6		6		Fig. 2	●		
ASG5D2B0365A	3.65		6	Fig. 2	●			
ASG5D2B0370A	3.7		6	Fig. 2	●			
ASG5D2B0375A	3.75		6	Fig. 2	●			
ASG5D2B0380A	3.8		34	6	Fig. 2	●		
ASG5D2B0385A	3.85			6	Fig. 2	●		
ASG5D2B0390A	3.9			6	Fig. 2	●		
ASG5D2B0395A	3.95			6	Fig. 2	●		
ASG5D2B0040A	4.0			6	Fig. 2	●		
ASG5D2B0405A	4.05	35	75	6	Fig. 2	●		
ASG5D2B0410A	4.1			6	Fig. 2	●		
ASG5D2B0415A	4.15			6	Fig. 2	●		
ASG5D2B0420A	4.2			6	Fig. 2	●		
ASG5D2B0425A	4.25			6	Fig. 2	●		
ASG5D2B0430A	4.3			38	80	6	Fig. 2	●
ASG5D2B0435A	4.35					6	Fig. 2	●
ASG5D2B0440A	4.4					6	Fig. 2	●
ASG5D2B0445A	4.45					6	Fig. 2	●
ASG5D2B0450A	4.5					6	Fig. 2	●
ASG5D2B0455A	4.55	6	Fig. 2			●		
ASG5D2B0460A	4.6	6	Fig. 2			●		
ASG5D2B0465A	4.65	6	Fig. 2			●		
ASG5D2B0470A	4.7	6	Fig. 2			●		
ASG5D2B0475A	4.75	6	Fig. 2			●		
ASG5D2B0480A	4.8	6	Fig. 2	●				

○: 接單生產品 ●: 在庫品 ▲: 訂製品

鎢鋼鑽絞刀×5D

Carbide Drill Reamer x5D

ASG5D2B

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫		
ASG5D2B0485A	4.85	38	80	6	Fig. 2	●		
ASG5D2B0490A	4.9			6	Fig. 2	●		
ASG5D2B0495A	4.95			6	Fig. 2	●		
ASG5D2B0050A	5.0			6	Fig. 2	●		
ASG5D2B0505A	5.05	41	85	6	Fig. 2	●		
ASG5D2B0510A	5.1			6	Fig. 2	●		
ASG5D2B0515A	5.15			6	Fig. 2	●		
ASG5D2B0520A	5.2			6	Fig. 2	●		
ASG5D2B0525A	5.25			6	Fig. 2	●		
ASG5D2B0530A	5.3			6	Fig. 2	●		
ASG5D2B0535A	5.35			6	Fig. 2	●		
ASG5D2B0540A	5.4			6	Fig. 2	●		
ASG5D2B0545A	5.45			6	Fig. 2	●		
ASG5D2B0550A	5.5			6	Fig. 2	●		
ASG5D2B0555A	5.55			44	90	6	Fig. 2	●
ASG5D2B0560A	5.6					6	Fig. 2	●
ASG5D2B0565A	5.65	6	Fig. 2			●		
ASG5D2B0570A	5.7	6	Fig. 2			●		
ASG5D2B0575A	5.75	6	Fig. 2			●		
ASG5D2B0580A	5.8	6	Fig. 2			●		
ASG5D2B0585A	5.85	6	Fig. 2			●		
ASG5D2B0590A	5.9	6	Fig. 2			●		
ASG5D2B0595A	5.95	6	Fig. 2			●		
ASG5D2B0060A	6.0	6	Fig. 1			●		
ASG5D2B0605A	6.05	48	90			8	Fig. 2	●
ASG5D2B0610A	6.1					8	Fig. 2	●
ASG5D2B0615A	6.15					8	Fig. 2	●
ASG5D2B0620A	6.2					8	Fig. 2	●
ASG5D2B0625A	6.25			8	Fig. 2	●		
ASG5D2B0630A	6.3			8	Fig. 2	●		
ASG5D2B0635A	6.35			8	Fig. 2	●		
ASG5D2B0640A	6.4			8	Fig. 2	●		
ASG5D2B0645A	6.45			8	Fig. 2	●		
ASG5D2B0650A	6.5			8	Fig. 2	●		
ASG5D2B0655A	6.55	51	100	8	Fig. 2	●		
ASG5D2B0660A	6.6			8	Fig. 2	●		
ASG5D2B0665A	6.65			8	Fig. 2	●		
ASG5D2B0670A	6.7			8	Fig. 2	●		
ASG5D2B0675A	6.75			8	Fig. 2	●		
ASG5D2B0680A	6.8	53	100	8	Fig. 2	●		
ASG5D2B0685A	6.85			8	Fig. 2	●		
ASG5D2B0690A	6.9			8	Fig. 2	●		
ASG5D2B0695A	6.95			8	Fig. 2	●		
ASG5D2B0070A	7.0			8	Fig. 2	●		
ASG5D2B0705A	7.05			55	100	8	Fig. 2	●
ASG5D2B0710A	7.1	8	Fig. 2			●		
ASG5D2B0715A	7.15	8	Fig. 2			●		

○: 接單生產品 ●: 在庫品 ▲: 訂製品

鎢鋼鑽絞刀×5D

Carbide Drill Reamer x5D

ASG5D2B

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫	
ASG5D2B0720A	7.2	55	100	8	Fig. 2	●	
ASG5D2B0725A	7.25			8	Fig. 2	●	
ASG5D2B0730A	7.3			8	Fig. 2	●	
ASG5D2B0735A	7.35	57		8	Fig. 2	●	
ASG5D2B0740A	7.4			8	Fig. 2	●	
ASG5D2B0745A	7.45			8	Fig. 2	●	
ASG5D2B0750A	7.5	59	8	Fig. 2	●		
ASG5D2B0755A	7.55		8	Fig. 2	●		
ASG5D2B0760A	7.6		8	Fig. 2	●		
ASG5D2B0765A	7.65		61	8	Fig. 2	●	
ASG5D2B0770A	7.7			8	Fig. 2	●	
ASG5D2B0775A	7.75			8	Fig. 2	●	
ASG5D2B0780A	7.8	63	105	8	Fig. 2	●	
ASG5D2B0785A	7.85			8	Fig. 2	●	
ASG5D2B0790A	7.9			8	Fig. 2	●	
ASG5D2B0795A	7.95			8	Fig. 2	●	
ASG5D2B0800A	8.0			8	Fig. 1	●	
ASG5D2B0805A	8.05			65	10	Fig. 2	○
ASG5D2B0810A	8.1	10	Fig. 2		●		
ASG5D2B0815A	8.15	10	Fig. 2		○		
ASG5D2B0820A	8.2	10	Fig. 2		●		
ASG5D2B0825A	8.25	67	10		Fig. 2	○	
ASG5D2B0830A	8.3		10		Fig. 2	●	
ASG5D2B0835A	8.35		10	Fig. 2	○		
ASG5D2B0840A	8.4		69	10	Fig. 2	●	
ASG5D2B0845A	8.45			10	Fig. 2	○	
ASG5D2B0850A	8.5			10	Fig. 2	●	
ASG5D2B0855A	8.55	10		Fig. 2	○		
ASG5D2B0860A	8.6	71		10	Fig. 2	●	
ASG5D2B0865A	8.65			10	Fig. 2	○	
ASG5D2B0870A	8.7		73	10	Fig. 2	●	
ASG5D2B0875A	8.75			10	Fig. 2	○	
ASG5D2B0880A	8.8			115	10	Fig. 2	●
ASG5D2B0885A	8.85				10	Fig. 2	○
ASG5D2B0890A	8.9	10			Fig. 2	●	
ASG5D2B0895A	8.95	10			Fig. 2	○	
ASG5D2B0900A	9.0	120	10		Fig. 2	●	
ASG5D2B0905A	9.05		10		Fig. 2	○	
ASG5D2B0910A	9.1		71	10	Fig. 2	●	
ASG5D2B0915A	9.15			10	Fig. 2	○	
ASG5D2B0920A	9.2			73	10	Fig. 2	●
ASG5D2B0925A	9.25				10	Fig. 2	○
ASG5D2B0930A	9.3	10			Fig. 2	●	
ASG5D2B0935A	9.35	10			Fig. 2	○	
ASG5D2B0940A	9.4	10	Fig. 2		●		
ASG5D2B0945A	9.45	73	10		Fig. 2	○	
ASG5D2B0950A	9.5		10	Fig. 2	●		

○: 接單生產品 ●: 在庫品 ▲: 訂製品

鎢鋼鑽絞刀×5D

Carbide Drill Reamer x5D

ASG5D2B

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫	
ASG5D2B0955A	9.55	75	125	10	Fig. 2	○	
ASG5D2B0960A	9.6			●			
ASG5D2B0965A	9.65			○			
ASG5D2B0970A	9.7			●			
ASG5D2B0975A	9.75	77		10	Fig. 2	○	
ASG5D2B0980A	9.8			●			
ASG5D2B0985A	9.85			○			
ASG5D2B0990A	9.9			●			
ASG5D2B0995A	9.95	79		10	Fig. 2	○	
ASG5D2B0100A	10.0			●			
ASG5D2B1005A	10.05			○			
ASG5D2B1010A	10.1			●			
ASG5D2B1015A	10.15	81	12	Fig. 2	○		
ASG5D2B1020A	10.2		●				
ASG5D2B1025A	10.25		○				
ASG5D2B1030A	10.3		●				
ASG5D2B1035A	10.35	83	12	Fig. 2	○		
ASG5D2B1040A	10.4		●				
ASG5D2B1045A	10.45		○				
ASG5D2B1050A	10.5		●				
ASG5D2B1055A	10.55	85	130	12	Fig. 2	○	
ASG5D2B1060A	10.6			●			
ASG5D2B1065A	10.65			○			
ASG5D2B1070A	10.7			●			
ASG5D2B1075A	10.75	87		12	Fig. 2	○	
ASG5D2B1080A	10.8			●			
ASG5D2B1085A	10.85			○			
ASG5D2B1090A	10.9			●			
ASG5D2B1095A	10.95	89		12	Fig. 2	○	
ASG5D2B1100A	11.0			●			
ASG5D2B1105A	11.05			○			
ASG5D2B1110A	11.1			●			
ASG5D2B1115A	11.15	91	135	12	Fig. 2	○	
ASG5D2B1120A	11.2			●			
ASG5D2B1125A	11.25			○			
ASG5D2B1130A	11.3			●			
ASG5D2B1135A	11.35	93		12	Fig. 2	○	
ASG5D2B1140A	11.4			●			
ASG5D2B1145A	11.45			○			
ASG5D2B1150A	11.5			●			
ASG5D2B1155A	11.55	91		140	12	Fig. 2	○
ASG5D2B1160A	11.6				●		
ASG5D2B1165A	11.65				○		
ASG5D2B1170A	11.7				●		
ASG5D2B1175A	11.75	93	12		Fig. 2	○	
ASG5D2B1180A	11.8		●				
ASG5D2B1185A	11.85		12	Fig. 2	○		

○: 接單生產品 ●: 在庫品 ▲: 訂製品

鎢鋼鑽絞刀系列

鎢鋼鑽絞刀×5D

Carbide Drill Reamer x5D

ASG5D2B

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫	
ASG5D2B1190A	11.9	93	140	12	Fig. 2	●	
ASG5D2B1195A	11.95			12	Fig. 2	○	
ASG5D2B1200A	12.0			12	Fig. 1	●	
ASG5D2B1205A	12.05	95		13	Fig. 2	○	
ASG5D2B1210A	12.1			13	Fig. 2	●	
ASG5D2B1215A	12.15			13	Fig. 2	○	
ASG5D2B1220A	12.2	97	145	13	Fig. 2	●	
ASG5D2B1225A	12.25			13	Fig. 2	○	
ASG5D2B1230A	12.3			13	Fig. 2	●	
ASG5D2B1235A	12.35			13	Fig. 2	○	
ASG5D2B1240A	12.4			13	Fig. 2	●	
ASG5D2B1245A	12.45			13	Fig. 2	○	
ASG5D2B1250A	12.5	99	150	13	Fig. 2	●	
ASG5D2B1255A	12.55			13	Fig. 2	○	
ASG5D2B1260A	12.6			13	Fig. 2	●	
ASG5D2B1265A	12.65			13	Fig. 2	○	
ASG5D2B1270A	12.7			13	Fig. 2	●	
ASG5D2B1275A	12.75			101	155	13	Fig. 2
ASG5D2B1280A	12.8	13	Fig. 2			●	
ASG5D2B1285A	12.85	13	Fig. 2			○	
ASG5D2B1290A	12.9	13	Fig. 2			●	
ASG5D2B1295A	12.95	13	Fig. 2			○	
ASG5D2B1300A	13.0	13	Fig. 1			●	
ASG5D2B1310A	13.1	103	160	14	Fig. 2	○	
ASG5D2B1320A	13.2			14	Fig. 2	○	
ASG5D2B1330A	13.3			14	Fig. 2	○	
ASG5D2B1340A	13.4	105		14	Fig. 2	○	
ASG5D2B1350A	13.5			14	Fig. 2	●	
ASG5D2B1360A	13.6			14	Fig. 2	○	
ASG5D2B1370A	13.7	107	165	14	Fig. 2	○	
ASG5D2B1380A	13.8			14	Fig. 2	○	
ASG5D2B1390A	13.9			14	Fig. 2	○	
ASG5D2B1400A	14.0	109		170	14	Fig. 1	●
ASG5D2B1410A	14.1				16	Fig. 2	○
ASG5D2B1420A	14.2				16	Fig. 2	○
ASG5D2B1430A	14.3	113	175		16	Fig. 2	○
ASG5D2B1440A	14.4				16	Fig. 2	○
ASG5D2B1450A	14.5				16	Fig. 2	●
ASG5D2B1460A	14.6	115		170	16	Fig. 2	○
ASG5D2B1470A	14.7				16	Fig. 2	○
ASG5D2B1480A	14.8				16	Fig. 2	○
ASG5D2B1490A	14.9	117	170		16	Fig. 2	○
ASG5D2B1500A	15.0				16	Fig. 2	●
ASG5D2B1510A	15.1				16	Fig. 2	○
ASG5D2B1520A	15.2	119		175	16	Fig. 2	○
ASG5D2B1530A	15.3				16	Fig. 2	○
ASG5D2B1540A	15.4				16	Fig. 2	○

○: 接單生產品 ●: 在庫品 ▲: 訂製品

鎢鋼鑽絞刀×5D
Carbide Drill Reamer x5D

ASG5D2B

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	形狀 Figure	在庫	
ASG5D2B1550A	15.5	121	175	16	Fig. 2	●	
ASG5D2B1560A	15.6	123		16	Fig. 2	○	
ASG5D2B1570A	15.7			16	Fig. 2	○	
ASG5D2B1580A	15.8	125	180	16	Fig. 2	○	
ASG5D2B1590A	15.9			16	Fig. 2	○	
ASG5D2B1600A	16.0				16	Fig. 1	●

○: 接單生產品 ●: 在庫品 ▲: 訂製品