


# 加強型鎢鋼油孔鑽絞刀×5D

Reinforced Carbide Drill Reamer With Internal Coolant Holes x5D

低碳素鋼 Low Carbon Steels	中碳素鋼 Medium Carbon Steels	高碳素鋼 High Carbon Steels	合金鋼 Alloy Steels	工具鋼 Tool Steels	調質鋼 Hardened Steels	淬火鋼 Quenched and Tempered Steels			鑄鋼 Cast Steels	鑄鐵 Cast Iron	黃銅 Brass	青銅 Bronze	紅銅 Copper	鋁合金 Aluminum Rolled	不銹鋼 Stainless Steels			鈦合金 Titanium Alloys	鎳基合金 Nickel Alloys	碳纖維 Carbon Fiber	玻璃纖維 Glass Fiber	
C0.25%以下	C0.25%~0.45%	C0.45%以上	SCM	SKD	HRC 20~30	HRC 30~40	HRC 40~50	HRC 50~60	SC	FC	FCD	BS	PB	CU	AL	300	400	600	TI			
◎	◎	◎	◎	○	◎	○	○		◎	◎	◎					○	○	○	○	○		

○適用 ◎專用

◆特性：增加副刃，有效延長刀具使用壽命，搭配中心出水的方式使排屑效率及冷卻效果極佳。



## DRH5D2B

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 l Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	在庫
DRH5D2B0030A	3.0	23	60	4	○
DRH5D2B0310A	3.1			6	○
DRH5D2B0320A	3.2			6	○
DRH5D2B0330A	3.3			6	●
DRH5D2B0335A	3.35	26	65	6	●
DRH5D2B0340A	3.4			6	●
DRH5D2B0350A	3.5			6	○
DRH5D2B0360A	3.6			6	○
DRH5D2B0370A	3.7			6	○
DRH5D2B0380A	3.8	30	70	6	○
DRH5D2B0390A	3.9			6	○
DRH5D2B0040A	4.0			6	○
DRH5D2B0410A	4.1			6	○
DRH5D2B0420A	4.2			6	●
DRH5D2B0425A	4.25	33	75	6	●
DRH5D2B0430A	4.3			6	●
DRH5D2B0440A	4.4			6	○
DRH5D2B0450A	4.5			6	○
DRH5D2B0460A	4.6			6	○
DRH5D2B0470A	4.7			6	○
DRH5D2B0480A	4.8	38	80	6	○
DRH5D2B0490A	4.9			6	○
DRH5D2B0050A	5.0			6	●
DRH5D2B0505A	5.05			6	●
DRH5D2B0510A	5.1			6	●
DRH5D2B0520A	5.2	41	85	6	○
DRH5D2B0530A	5.3			6	○
DRH5D2B0540A	5.4			6	○
DRH5D2B0550A	5.5			6	○
DRH5D2B0560A	5.6			6	○
DRH5D2B0570A	5.7			6	○
DRH5D2B0580A	5.8	44	90	6	○
DRH5D2B0590A	5.9			6	○
DRH5D2B0060A	6.0			6	○
DRH5D2B0610A	6.1	48		8	○

○: 接單生產 ●: 在庫品 ▲: 訂製品

# 加強型鎢鋼油孔鑽絞刀×5D

Reinforced Carbide Drill Reamer With Internal Coolant Holes x5D

## DRH5D2B

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	在庫		
DRH5D2B0620A	6.2	48	90	8	○		
DRH5D2B0630A	6.3			8	○		
DRH5D2B0640A	6.4			8	○		
DRH5D2B0650A	6.5			8	○		
DRH5D2B0660A	6.6	51	100	8	○		
DRH5D2B0670A	6.7			8	○		
DRH5D2B0675A	6.75			8	●		
DRH5D2B0680A	6.8			8	●		
DRH5D2B0685A	6.85			8	●		
DRH5D2B0690A	6.9			8	○		
DRH5D2B0070A	7.0			8	○		
DRH5D2B0710A	7.1			54	100	8	○
DRH5D2B0720A	7.2	8	○				
DRH5D2B0730A	7.3	8	○				
DRH5D2B0740A	7.4	8	○				
DRH5D2B0750A	7.5	8	○				
DRH5D2B0760A	7.6	58	105	8	○		
DRH5D2B0770A	7.7			8	○		
DRH5D2B0780A	7.8			8	○		
DRH5D2B0790A	7.9			8	○		
DRH5D2B0080A	8.0			8	○		
DRH5D2B0810A	8.1	62	110	10	○		
DRH5D2B0820A	8.2			10	○		
DRH5D2B0830A	8.3			10	○		
DRH5D2B0840A	8.4			10	○		
DRH5D2B0850A	8.5			10	●		
DRH5D2B0855A	8.55			10	●		
DRH5D2B0860A	8.6			10	●		
DRH5D2B0870A	8.7	65	115	10	○		
DRH5D2B0880A	8.8			10	○		
DRH5D2B0890A	8.9			10	○		
DRH5D2B0090A	9.0			10	○		
DRH5D2B0910A	9.1			68	120	10	○
DRH5D2B0920A	9.2	10	○				
DRH5D2B0930A	9.3	10	○				
DRH5D2B0940A	9.4	10	○				
DRH5D2B0950A	9.5	10	○				
DRH5D2B0960A	9.6	72	125			10	○
DRH5D2B0970A	9.7					10	○
DRH5D2B0980A	9.8			10	○		
DRH5D2B0990A	9.9			10	○		
DRH5D2B0100A	10.0			10	○		
DRH5D2B1010A	10.1			75	125	12	○
DRH5D2B1020A	10.2					12	○
DRH5D2B1025A	10.25					12	●
DRH5D2B1030A	10.3	12	●				
DRH5D2B1035A	10.35	12	●				
DRH5D2B1040A	10.4	12	●				
DRH5D2B1050A	10.5	12	●				
DRH5D2B1060A	10.6	78	130	12	○		
DRH5D2B1070A	10.7			12	○		
DRH5D2B1080A	10.8			12	○		

○: 接單生產品    ●: 在庫品    ▲: 訂製品

鎢鋼鑽頭系列

# 加強型鎢鋼油孔鑽絞刀×5D

Reinforced Carbide Drill Reamer With Internal Coolant Holes x5D

## DRH5D2B

單位:mm(Unit:mm)

刀具料號 Model No.	刃徑 d Diameter	溝長 ℓ Grooving Length	全長 L Overall Length	柄徑 D Shank Diameter	在庫
DRH5D2B1090A	10.9	78	130	12	○
DRH5D2B1100A	11.0			12	○
DRH5D2B1110A	11.1	81		12	○
DRH5D2B1120A	11.2			12	○
DRH5D2B1130A	11.3			12	○
DRH5D2B1140A	11.4			12	○
DRH5D2B1150A	11.5	84	12	○	
DRH5D2B1160A	11.6		140	12	○
DRH5D2B1170A	11.7			12	○
DRH5D2B1180A	11.8			12	○
DRH5D2B1190A	11.9			12	○
DRH5D2B1200A	12.0			12	○
DRH5D2B1210A	12.1	88		13	○
DRH5D2B1220A	12.2		140	13	○
DRH5D2B1230A	12.3			13	○
DRH5D2B1240A	12.4			13	○
DRH5D2B1250A	12.5			13	○
DRH5D2B1260A	12.6			91	13
DRH5D2B1270A	12.7	145			13
DRH5D2B1280A	12.8		13		○
DRH5D2B1290A	12.9		13		○
DRH5D2B1300A	13.0		13		○
DRH5D2B1310A	13.1		95		14
DRH5D2B1320A	13.2			145	14
DRH5D2B1330A	13.3	14			○
DRH5D2B1340A	13.4	14			○
DRH5D2B1350A	13.5	14			○
DRH5D2B1360A	13.6	98			14
DRH5D2B1370A	13.7		150		14
DRH5D2B1380A	13.8			14	○
DRH5D2B1390A	13.9			14	○
DRH5D2B1400A	14.0			14	○
DRH5D2B1410A	14.1			101	16
DRH5D2B1420A	14.2	150			16
DRH5D2B1430A	14.3		16		○
DRH5D2B1440A	14.4		16		○
DRH5D2B1450A	14.5		16		○
DRH5D2B1460A	14.6		105		16
DRH5D2B1470A	14.7			160	16
DRH5D2B1480A	14.8	16			○
DRH5D2B1490A	14.9	16			○
DRH5D2B1500A	15.0	16			○
DRH5D2B1510A	15.1	108			16
DRH5D2B1520A	15.2		160		16
DRH5D2B1530A	15.3			16	○
DRH5D2B1540A	15.4			16	○
DRH5D2B1550A	15.5			16	○
DRH5D2B1560A	15.6			112	16
DRH5D2B1570A	15.7	165			16
DRH5D2B1580A	15.8		16		○
DRH5D2B1590A	15.9		16		○
DRH5D2B1600A	16.0		16		○

○: 接單生產品   ●: 在庫品   ▲: 訂製品